

SORUSH & NOROZ BLEND (52.6%SORUSH,47.4%NOROZ) CRUDE OIL

TABLE : 1

<i>GENERAL DATA</i>				
<i>SPECIFICATION</i>		<i>RESULT</i>	<i>TEST METHOO</i>	
SPECIFIC GRAVITY @15.56/15.56 °C		0.9409	ASTM	D-4052
API		18.89	"	D-4052
SULPHUR CONTENT	WT%	3.44	"	D-2622
H2C CONTENT	PPM	<1.0	RIPI	
NITROGEN TOTAL		0.30	"	D-3228
BASE SEDUNEBT & WATER		2.2	"	D-96
WATER CONTENT		2.0	"	D-95
SALT CONTENT		-----	"	D-3230
KINEMATIC VISCOSITY @10 °C		2359.6	"	D-445
"	" @20 °C	750.7	"	D-445
"	" @40 °C	177.4	"	D-445
POUR POINT		-9	"	D-97
R.V.P.		4.0	"	D-323
ASPHALTENES		10.80	IP-143	
WAX- CONTENT		3.45	BP-237	
DROP MELTING POINT OF WAX		60	IP-31	
CARBON RESIDUE (CONRD.)		11.79	ASTM	D-189
ASH CONTENT		0.36	"	D-482
ACIDITY TOTAL		0.13	"	D-664
NICKEL		30.0	UOP-800	
VANADIUM		99.0	UOP-800	
IRON		2.7	UOP-800	
LEAO		<1.0	UOP-391	
SODIUM		177.0	UOP-391	

WORKED BY: CRUDE EVALUATION GROUP
APPROVED BY: H. TALACHI

